


GROUND FLOOR FIRE PLAN
LAYOUT
SCALE 1:100



SITE PLAN FIRE LAYOUT
SCALE 1:200

- GENERAL NOTES
1. ALL PRIMARY CO-ORDINATION TO BE THE RESPONSIBILITY OF THE PRINCIPLE AGENT.
 2. HAND HELD FIRE EXTINGUISHERS AND HYDRANTS ARE TO BE PROVIDED AS INDICATED ON THE RELEVANT PLAN DRAWINGS.
 3. HOSE REELS ARE TO BE PROVIDED AS INDICATED ON THE RELEVANT PLAN DRAWINGS AND ARE TO HAVE A MINIMUM FLOW RATE OF 5 l/s AT 300KPA.
 4. FINAL FIRE SIGNAGE IS TO BE DETERMINED ON SITE WITH THE COUNCIL'S FIRE OFFICER.
 5. WATER SUPPLY REQUIREMENTS AT EACH HYDRANT IS TO BE 20 l/s AT 300kPa MINIMUM.
 6. FIRE ESCAPE ROUTES, INCLUDING CORRIDORS AND STAIRWAYS SHALL HAVE A MINIMUM WIDTH OF 1100mm.
 7. ALL VERTICAL OPENINGS BETWEEN FLOORS SHALL BE FIRE STOPPED.
 8. ALL ESCAPE ROUTES SHALL HAVE A FIRE RESISTANCE OF 60 MINUTES.
 9. ALL EMERGENCY ROUTES SHALL HAVE A FIRE RESISTANCE OF 120 MINUTES.
 10. THE LIFT SHAFT IS TO BE POSITIVELY PRESSURISED ON FIRE CONDITIONS.
 11. FOR FIRE HOSE REELS/HYDRANTS & SPRINKLER POSITIONS SEE INDIVIDUAL FLOOR PLAN DRAWINGS.

RATIONAL FIRE LEGEND	
	BREAK GLASS UNIT
	FIREMAN'S LIFT CONTROL
	SMOKE DETECTOR
	FIREMAN'S INTERCOM
	SPRINKLER HEAD
	HOSE REEL
	FIRE HYDRANT
	BOOSTER CONNECTION
	9kg CO FIRE EXTINGUISHER
	4.5kg CO FIRE EXTINGUISHER
	DIRECTIONAL ARROW
	FIRE ESCAPE
	30 MINUTE FIRE RATED WALL
	60 MINUTE FIRE RATED WALL
	120 MINUTE FIRE RATED WALL
	CLASS A SELF CLOSING FIRE DOOR
	CLASS B SELF CLOSING FIRE DOOR
	CLASS C SELF CLOSING FIRE DOOR
	CLASS D SELF CLOSING FIRE DOOR
	CLASS E SELF CLOSING FIRE DOOR
	120MIN FIRE RATED LIFT LANDING DOOR
	DOUBLE SWING DOORS

REVISIONS	
REVISION No.	DATE
DESCRIPTION	
SIZE ON ORIGINAL DRAWING 100 mm	

CONSTRUCTION OF MAKUWA LIBRARY

PROJECT NAME:
CONSTRUCTION OF MAKUWA LIBRARY

CLIENT:
**FETAKGOMO TUBATSE
LOCAL MUNICIPALITY**
PO BOX 206
BURGERSFORT
1150

DISCIPLINE:
MECHANICAL

WORK DESCRIPTION:
NEW LIBRARY

DRAWING DESCRIPTION:
FIRE EVACUATION LAYOUT

FILE No.	DESIGN	SCALE	DRAWN	CHECKED
16-11-2021	W NGOBENI	AS SHOWN	W NGOBENI	W NGOBENI

DATE	NAME	SIGNATURE	PR NUMBER
16-11-2021	W NGOBENI		2019600355

Wanthla Architects
384 Justice Mahommed Street
Sunnyside 0002
Tel: 012 751 9293 | Cell: 073 213 8912
Email: simonmg@yahoo.com | Website: wanthlaarch.co.za

CONTRACTOR :

CADD SYSTEM	AUTOCAD	FILE NAME
A1	WAN-MFW01	0