



COPYRIGHT

THIS DRAWING IS SUBJECT TO COPYRIGHT AND MAY NOT BE RE-PRODUCED PARTLY, WHOLE, OR IN ANY MANNER WHATSOEVER WITHOUT WRITTEN PERMISSION FROM TSHISAPHUNGO CONSULTING (PTY) LTD.

- NOTES
- 1/ CONCRETE GRADE: SLAB: 25 MPa
 - 2/ COVER TO REINFORCEMENT: 20mm U.O.S.
 - 3/ PROVIDE 2.5mm BRICKFORCE IN EVERY COURSE ABOVE EVERY WINDOWS AND DOORS OPENINGS.
 - 4/ PLEASE MAKE SURE THAT BRICKFORCE IS DISCONTINUOUS AT ARTICULATING JOINTS
 - 5/ REFER TO BENDING SCHEDULE PAGE BS-BM-SERIES FOR SLAB REINFORCEMENT.
 - 6/ MINIMUM LAP LENGTH: 50 x BAR DIAMETER
 - 7/ ENGINEER TO INSPECT REBAR FIXING PRIOR TO CONCRETING.
 - 8/ MEASUREMENTS OR DIMENSIONS MUST NOT BE SCALED OFF THE DRAWING. IF THERE IS ANY DISCREPANCY WITH ARCHITECT LAYOUT THEREFORE ARCHITECT'S DIMENSION SHOULD BE DEEMED CORRECT PLEASE REPORT SUCH DISCREPANCY TO THE ENGINEER.
 - 9/ SHOULD THE ENGINEER BE REQUIRED ON SITE, 48HR NOTICE IS REQUIRED.
 - 10/ THE CONTRACTOR IS RESPONSIBLE FOR SETTING OUT OF THE BUILDING. THE CONTRACTOR IS TO VERIFY ALL LEVELS AND DIMENSIONS ON SITE.
 - 11/ STRIPPING TIMES AT FORMWORK AND PROPPING SHALL BE IN ACCORDANCE TO SABS 1200G

REVISIONS			
NO.	DATE	DESCRIPTION	AUTHD. BY
A	19-04-2021	ISSUED FOR CONSTRUCTION	T.T

ADDRESS: 107 FURROW ROAD
EQUESTRIA, PRETORIA
0184
CELL: 079 370 5242
E-MAIL: tshivhasa@tshisaphungo.com

PROJECT TITLE:
CONSTRUCTION
OF MAKUWA LIBRARY

DRAWING TITLE:
LINTEL BEAMS AND EAVE
BEAMS LAYOUT AND DETAILS

APPROVED FOR:			
INFORMATION			
	NAME	SIGNATURE	DATE
DESIGNED	TT-20190982		19-11-2021
DRAWN	TT-20190982		20-11-2021
CHECKED	TR-20160195		22-11-2021
APPROVED	TT-20190982		24-11-2021

DRAWING NO. 2021-MKW-SC-103-A

CLIENT DRG. NO. WAN 001

REV. NO.	SCALE	PAPER SIZE	SHEET
A	AS SHOWN	1196 x 841	A0